



Primary* Refugee Arrivals to Minnesota by Region of World, 1979-2017







Primary Refugee Arrivals by Month, Minnesota, 2013-2017




2017 Primary Refugee Arrivals to Minnesota (N=1,103)



Number of Refugee Arrivals By Initial County Of Resettlement







Primary Refugee Arrivals, Minnesota, 2017




*“Other” includes Belarus, Bhutan, Cameroon, China, Djibouti, Dominican Republic, El Salvador, Eritrea, Guatemala, Honduras, Indonesia, Kenya, Liberia, Mexico, Moldova, Nepal, Philippines, Russia, South Sudan, Sudan, Syria, Ukraine, and Vietnam.

Country of Origin by County of Resettlement, Minnesota, 2017




Primary Refugee Arrivals Screened in Minnesota, 2007-2017



Ineligible if moved out of state or to an unknown destination, no insurance, unable to locate, or died before screening




Primary Refugees Reasons for No Screening, Minnesota, 2017



*Ineligible for the refugee health assessment

Refugee Screening Rates by Exam Type, Minnesota, 2017



**Screened for at least one type of STI

Health Status of New Refugees, Minnesota, 2017*

Health status upon arrival	No. of refugees	No. (%) with infection
TB (latent or active)**	1,045 (98%)	223 (21%)
Hepatitis B infection***	1,058 (99%)	38 (4%)
Parasitic Infection****	669 (63%)	141 (21%)
Sexually Transmitted Infections (STIs)*****	1,029 (96%)	12 (1%)
Lead*****	473 (98%)	60 (13%)
Hemoglobin	1,056 (99%)	186 (18%)

*Total screened: **N=1,068** (98% of 1,089 eligible refugees)

** Persons with LTBI (≥ 10 mm induration or IGRA+, normal CXR) or suspect/active TB disease

*** Positive for Hepatitis B surface antigen (HBsAg)

**** Positive for at least one intestinal parasite infection


***** Positive for at least one STI (tested for syphilis, HIV, chlamydia, and/or gonorrhea)

***** Children <17 years old (N=483 screened); lead level ≥ 5 μ g/dL



Latent or Active Tuberculosis (TB)* Among Refugees By Region Of Origin, Minnesota, 2017

N=1,045 screened




***Diagnosis of Latent TB infection (N=220) or Suspect/Active TB disease (N=3)**




Intestinal Parasitic Infection* Among Refugees by Region of Origin, Minnesota, 2017

N=669 screened



*At least 1 parasitic infection found via stool or serology (excluding nonpathogenic)

Hepatitis B* Infection Among Refugees by Region of Origin, Minnesota, 2017



*Positive hepatitis B surface antigen (HBsAg)

Immunization Status Among Refugees, Minnesota, 2002-2017

