



Year(s)	Race/Ethnicity of Mother							Total	Foreign-born Mothers <sup>III</sup>	
	White	Black, African-American <sup>II</sup>	Black, African-born <sup>II</sup>	Hispanic	American Indian	Asian/PI	Multi-racial		Number	(% of total in time period)
<b>Cumulative Total</b>	19	8	9	4	2	2	0	44	14	32%
<b>Rate of Transmission 2014 - 2016</b>	0.0%	8.0%	1.0%	0.0%	0.0%	0.0%	0.0%	1.7%	0.9%	--
<b>Cumulative Rate of Transmission<sup>IV</sup></b>	8.6%	3.1%	2.2%	5.3%	5.1%	--	--	4.1%	2.8%	--

## Notes

Cases of perinatally-acquired HIV/AIDS were only included in the table if the child's residence at the time of birth was reported as Minnesota.

<sup>I</sup> Transmission of HIV from mother to child during pregnancy, at birth, and/or during breastfeeding.

<sup>II</sup> African-born Blacks are reported separately from other Blacks (born in the U.S. or elsewhere).

<sup>III</sup> Mothers' places of birth include: Africa (9), Asia/Pacific Islands (2), Central America/Caribbean (1), Europe (1), Mexico (1).

<sup>IV</sup> The cumulative rate of HIV transmission is calculated by dividing the total number of perinatally-acquired HIV infections by the total number of births in a category and multiplying by 100. Rates calculated only for categories where the cumulative number of births is 30 or greater.

Minnesota Department of Health  
STD, HIV and TB Section  
(phone) 651-201-5414  
[www.health.state.mn.us](http://www.health.state.mn.us)

04/19/2017



*To obtain this information in a different format, call: 651-201-5414.*